


## NPAD-OB-E — SERIES

### PANEL DIFFUSERS — NON REMOVABLE CORE



NPAD 1—OB—E—One way  
NPAD 2—OB—E—Two way

NPAD 2C—OB—E — Two way corner throw  
NPAD 3—OB—E — Three way  
NPAD 4—OB—E Four way

**OPTIONAL:** Available without opposed blade damper as model NPAD-E

**DESIGN:** The NPAD-E Series consists of a flush frame pattern diffuser mounted in a panel, sized to match standard T-bar ceilings. The integral unit is, in turn, designed for lay-in type ceiling, resulting in an extremely attractive, uncluttered ceiling. The core is non-removable. Opposed blades dampers allow precise volume adjustment.

**FEATURES:** Diffuser neck sized to fit within NOMINAL DUCT sizes. CORNER KEY construction prevents open mitres and provides increased rigidity. Entire unit assembly by mechanical means—no spot welds to break. Panel sized to fit within nominal dimensions—no ceiling grid alterations. Unique CIRCULAR AIR PATTERNS.

**CONSTRUCTION:** Diffuser constructed of Aluminum extrusion throughout, except: (NOTE A) center cone, in square configurations only, is stamped aluminum alloy 1100. In rectangular configurations, the center cone is extruded aluminum. Neck sizes in 3" increments. Painted white is standard. Panel constructed of heavy duty galvanized steel.

**APPLICATION:** Designed specifically for lay-in type grid ceiling systems, where esthetics demand smooth, uncluttered appearance.

